| Ref # | Hits | Search Query | DBs | Default Operat or | Plural s | Time Stamp |
|----------|------|--|---|-------------------------|-------------|---------------------|
| L2 | 3102 | wellbore and cable | US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | OFF | 2005/03/28 16:54 |
| L3 | 299 | spacers and 2 | US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | OFF | 2005/03/28 17:03 |
| L4 | 2 | abated and 2 | US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | OFF | 2005/03/28 16:54 |
| L5 | 299 | spacers and 2 | US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | OFF | 2005/03/28 17:03 |
| L6 | 1438 | (coaxial adj cable) and die | US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | OFF | 2005/03/28 17:42 |
| L7 | 637 | (drawn or drawing) and 6 | US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | OFF | 2005/03/28 18:56 |
| LIO | 71 | (downhole adj (tool or apparatus)) and (coaxial adj cable) | US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | OFF | 2005/03/28 19·24 |

| L11 | 0 | abated and 10 | US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | OFF | 2005/03/28 18:57 |
|-----|----|---|--|----|-----|---------------------|
| L12 | 5 | stretch and 10 | US-PGPU B; USPAT, EPO; JPO; DERWEN T; IBM_TDB | OR | OFF | 2005/03/28 19:19 |
| L13 | 3 | stretching and 10 | US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | OFF | 2005/03/28 19:20 |
| L14 | 0 | abat\$ and 10 | US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | OFF | 2005/03/28 19:20 |
| L15 | 14 | (downhole adj (tool or apparatus)) and abat\$ | US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | OFF | 2005/03/28 19:21 |
| L16 | 21 | IACS and (coaxial adj cable) | US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | OFF | 2005/03/28 19:30 |
| L17 | 0 | (porous and (non adj porous)) and 16 | US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | OFF | 2005/03/28 19:30 |

| L18 | 52 | (porous and (non adj porous)) and (coaxial adj cable) | US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | OFF | 2005/03/28 20:03 |
|-----|-------|---|--|----|-----|---------------------|
| L19 | 9 | (elastic adj strain) and (coaxial adj cable) | US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | OFF | 2005/03/28 20:03 |
| L20 | 0 | (gravitational adj loads) and 19 | US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | OFF | 2005/03/28 20:03 |
| L21 | 0 | (gravitational adj loads) and (coaxial adj cable) | US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | OFF | 2005/03/28 20:04 |
| S44 | 4 | downhole and (hollow adj conductor) | US-PGPU B; USPAT | OR | OFF | 2005/03/28 11:59 |
| S45 | 622 | (hollow adj conductor) | US-PGPU B; USPAT | OR | OFF | 2005/03/28 12:00 |
| S46 | 162 | cable and S45 | US-PGPU B; USPAT | OR | OFF | 2005/03/28 13:44 |
| S47 | 16413 | coaxially and cable | US-PGPU B; USPAT | OR | OFF | 2005/03/28 13:45 |
| S48 | 3574 | gas and S47 | US-PGPU B; USPAT | OR | OFF | 2005/03/28 13:45 |
| S49 | 5 | (braided near conductor) and S48 | US-PGPU B; USPAT | OR | OFF | 2005/03/28 13:47 |
| S50 | 45 | (braided near conductor) and S47 | US-PGPU B; USPAT | OR | OFF | 2005/03/28 13:53 |
| S51 | 0 | "17415" S50.ccls. | US-PGPU B; USPAT | OR | OFF | 2005/03/28 13:54 |
| S52 | 184 | "174/15".S50.ccls. | US-PGPU B; USPAT | OR | OFF | 2005/03/28 14:03 |

| S54 | 685 | "174/15".S47.ccls. | US-PGPU B; USPAT | OR | OFF | 2005/03/28 14:05 |
|-----|------|--------------------------------------|---------------------|----|-----|---------------------|
| S55 | 281 | "174/15".S52.ccls. | US-PGPU B; USPAT | OR | OFF | 2005/03/28 14:16 |
| S56 | 67 | "174/25g.ccls. | US-PGPU B; USPAT | OR | OFF | 2005/03/28 14:19 |
| S57 | 1342 | die and (coaxial adj cable) | US-PGPU B; USPAT | OR | OFF | 2005/03/28 14:19 |
| S58 | 77 | (porous or (non adj porous)) and S57 | US-PGPU B; USPAT | OR | OFF | 2005/03/28 14:20 |